

C Reference Card (ANSI)

Program Structure/Functions

```

type fnc(type1, ...);
type name;
int main(void) {
    declarations
    statements
}
type fnc(arg1, ...) {
    declarations
    statements
    return value;
}
/* */
int main(int argc, char *argv[])
exit(arg);

```

C Preprocessor

```

include library file           #include <filename>
include user file            #include "filename"
replacement text              #define name text
replacement macro             #define name(var) text
Example. #define max(A,B) ((A)>(B) ? (A) : (B))
undefine                      #undef name
quoted string in replace      #
Example. #define msg(A) printf("%s = %d", #A, (A)
concatenate args and rescan   ##
conditional execution          #if, #else, #elif, #endif
is name defined, not defined? #ifdef, #ifndef
name defined?                defined(name)
line continuation char        \

```

Data Types/Declarations

```

character (1 byte)           char
integer                      int
real number (single, double precision) float, double
short (16 bit integer)       short
long (32 bit integer)        long
positive or negative         signed
non-negative modulo 2m    unsigned
pointer to int, float, ...   int*, float*, ...
enumeration constant         enum tag {name1=value1,...}; 
constant (read-only) value   type const name;
declare external variable    extern
internal to source file     static
local persistent between calls static
no value                     void
structure                    struct tag {...};
create new name for data type typedef type name;
size of an object (type is size_t) sizeof object
size of a data type (type is size_t) sizeof(type)

```

Initialization

```

initialize variable           type name=value;
initialize array               type name[]={value1,...};
initialize char string         char name[]="string";

```

Constants

| | |
|--|---------------------|
| suffix: long, unsigned, float | 65536L, -1U, 3.0F |
| exponential form | 4.2e1 |
| prefix: octal, hexadecimal | 0, 0x or 0X |
| Example. 031 is 25, 0x31 is 49 decimal | |
| character constant (char, octal, hex) | 'a', '\ooo', '\xhh' |
| newline, cr, tab, backspace | \n, \r, \t, \b |
| special characters | \\, \?, \', \" |
| string constant (ends with '\0') | "abc...de" |

Pointers, Arrays & Structures

| | |
|--|---|
| declare pointer to <i>type</i> | <i>type</i> * <i>name</i> ; |
| declare function returning pointer to <i>type</i> <i>type</i> * <i>f</i> (); | |
| declare pointer to function returning <i>type</i> <i>type</i> (* <i>pf</i> ()) | |
| generic pointer type | void * |
| null pointer constant | NULL |
| object pointed to by <i>pointer</i> | * <i>pointer</i> |
| address of object <i>name</i> | & <i>name</i> |
| array | <i>name</i> [<i>dim</i>] |
| multi-dim array | <i>name</i> [<i>dim₁</i>][<i>dim₂</i>]... |
| Structures | |
| struct <i>tag</i> { | structure template |
| <i>declarations</i> | declaration of members |
| }; | |
| create structure | struct <i>tag</i> <i>name</i> |
| member of structure from template | <i>name</i> . <i>member</i> |
| member of pointed-to structure | <i>pointer</i> -> <i>member</i> |
| Example. (* <i>p</i>). <i>x</i> and <i>p</i> -> <i>x</i> are the same | |
| single object, multiple possible types | union |
| bit field with <i>b</i> bits | unsigned <i>member</i> : <i>b</i> ; |

Operators (grouped by precedence)

| | |
|---|---|
| struct member operator | <i>name</i> . <i>member</i> |
| struct member through pointer | <i>pointer</i> -> <i>member</i> |
| increment, decrement | ++, -- |
| plus, minus, logical not, bitwise not | +, -, !, ~ |
| indirection via pointer, address of object | * <i>pointer</i> , & <i>name</i> |
| cast expression to type | (<i>type</i>) <i>expr</i> |
| size of an object | sizeof |
| multiply, divide, modulus (remainder) | *, /, % |
| add, subtract | +, - |
| left, right shift [bit ops] | <<, >> |
| relational comparisons | >, >=, <, <= |
| equality comparisons | ==, != |
| and [bit op] | & |
| exclusive or [bit op] | ^ |
| or (inclusive) [bit op] | |
| logical and | && |
| logical or | |
| conditional expression | <i>expr₁</i> ? <i>expr₂</i> : <i>expr₃</i> |
| assignment operators | +=, -=, *=, ... |
| expression evaluation separator | , |
| Unary operators, conditional expression and assignment operators group right to left; all others group left to right. | |

Flow of Control

| | |
|----------------------------------|--------------------------|
| statement terminator | ; |
| block delimiters | { } |
| exit from switch, while, do, for | break; |
| next iteration of while, do, for | continue; |
| go to | goto <i>label</i> ; |
| label | <i>label</i> : statement |
| return value from function | return <i>expr</i> |

Flow Constructors

| | |
|------------------|---|
| if statement | if (<i>expr</i>) statement |
| | else if (<i>expr</i>) statement |
| | else statement |
| while statement | while (<i>expr</i>) statement |
| for statement | for (<i>expr₁</i> ; <i>expr₂</i> ; <i>expr₃</i>) statement |
| do statement | do statement while(<i>expr</i>); |
| switch statement | switch (<i>expr</i>) { case <i>const₁</i> : statement ₁ break; case <i>const₂</i> : statement ₂ break; default: statement } |

ANSI Standard Libraries

| | | | | |
|------------|------------|------------|------------|------------|
| <assert.h> | <cctype.h> | <errno.h> | <float.h> | <limits.h> |
| <locale.h> | <math.h> | <setjmp.h> | <signal.h> | <stdarg.h> |
| <stddef.h> | <stdio.h> | <stdlib.h> | <string.h> | <time.h> |

Character Class Tests <cctype.h>

| | |
|--|-------------|
| alphanumeric? | isalnum(c) |
| alphabetic? | isalpha(c) |
| control character? | iscntrl(c) |
| decimal digit? | isdigit(c) |
| printing character (not incl space)? | isgraph(c) |
| lower case letter? | islower(c) |
| printing character (incl space)? | isprint(c) |
| printing char except space, letter, digit? | ispunct(c) |
| space, formfeed, newline, cr, tab, vtab? | isspace(c) |
| upper case letter? | isupper(c) |
| hexadecimal digit? | isxdigit(c) |
| convert to lower case | tolower(c) |
| convert to upper case | toupper(c) |

String Operations <string.h>

| | |
|---|---|
| <i>s</i> , <i>t</i> are strings; <i>cs</i> , <i>ct</i> are constant strings | |
| length of <i>s</i> | strlen (<i>s</i>) |
| copy <i>ct</i> to <i>s</i> | strcpy (<i>s</i> , <i>ct</i>) |
| concatenate <i>ct</i> after <i>s</i> | strcat (<i>s</i> , <i>ct</i>) |
| compare <i>cs</i> to <i>ct</i> | strcmp (<i>cs</i> , <i>ct</i>) |
| only first <i>n</i> chars | strncmp (<i>cs</i> , <i>ct</i> , <i>n</i>) |
| pointer to first <i>c</i> in <i>cs</i> | strchr (<i>cs</i> , <i>c</i>) |
| pointer to last <i>c</i> in <i>cs</i> | strrchr (<i>cs</i> , <i>c</i>) |
| copy <i>n</i> chars from <i>ct</i> to <i>s</i> | memcpy (<i>s</i> , <i>ct</i> , <i>n</i>) |
| copy <i>n</i> chars from <i>ct</i> to <i>s</i> (may overlap) | memmove (<i>s</i> , <i>ct</i> , <i>n</i>) |
| compare <i>n</i> chars of <i>cs</i> with <i>ct</i> | memcmp (<i>cs</i> , <i>ct</i> , <i>n</i>) |
| pointer to first <i>c</i> in first <i>n</i> chars of <i>cs</i> | memchr (<i>cs</i> , <i>c</i> , <i>n</i>) |
| put <i>c</i> into first <i>n</i> chars of <i>s</i> | memset (<i>s</i> , <i>c</i> , <i>n</i>) |

C Reference Card (ANSI)

Input/Output <stdio.h>

Standard I/O

standard input stream
standard output stream
standard error stream
end of file (type is int)
get a character
print a character
print formatted data
print to string s
read formatted data
read from string s
print string s

stdin
stdout
stderr
EOF
getchar()
putchar(chr)
printf("format", arg1,...)
sprintf(s,"format",arg1,...)
scanf("format",&name1,...)
sscanf(s,"format",&name1,...)
puts(s)

File I/O

declare file pointer
pointer to named file
modes: r (read), w (write), a (append), b (binary)
get a character
write a character
write to file
read from file
close file
non-zero if error
non-zero if already reached EOF
read line to string s (< max chars)
write string s

Codes for Formatted I/O: "%-+ 0w.pmc"

- left justify
- + print with sign
- space print space if no sign
- 0 pad with leading zeros
- w min field width
- p precision
- m conversion character:
 - h short, l long, L long double
- c conversion character:
 - d,i integer u unsigned
 - c single char s char string
 - f double (printf) e,E exponential
 - f float (scanf) lf double (scanf)
 - o octal x,X hexadecimal
 - p pointer n number of chars written
 - g,G same as f or e,E depending on exponent

Variable Argument Lists <stdarg.h>

declaration of pointer to arguments va_list ap;
initialization of argument pointer va_start(ap,lastarg);
lastarg is last named parameter of the function
access next unnamed arg, update pointer va_arg(ap,type)
call before exiting function va_end(ap);

Standard Utility Functions <stdlib.h>

absolute value of int n
absolute value of long n
quotient and remainder of ints n,d
 returns structure with div_t.quot and div_t.rem
quotient and remainder of longs n,d
 ldiv(n,d)
pseudo-random integer [0,RAND_MAX]
set random seed to n
terminate program execution
pass string s to system for execution

abs(n)
labs(n)
div(n,d)
rand()
srand(n)
exit(status)
system(s)

Conversions

convert string s to double
convert string s to integer
convert string s to long
convert prefix of s to double
convert prefix of s (base b) to long
 same, but unsigned long

atof(s)
atoi(s)
atol(s)
strtod(s,&endp)
strtol(s,&endp,b)
strtoul(s,&endp,b)

Storage Allocation

allocate storage malloc(size), calloc(nobj,size)
change size of storage newptr = realloc(ptr,size);
deallocate storage free(ptr);

Array Functions

search array for key bsearch(key,array,n,size,cmpf)
sort array ascending order qsort(array,n,size,cmpf)

Time and Date Functions <time.h>

processor time used by program clock()
Example. clock() /CLOCKS_PER_SEC is time in seconds
current calendar time time()
time2-time1 in seconds (double) difftime(time2,time1)
arithmetic types representing times clock_t, time_t
structure type for calendar time comps struct tm

| | |
|----------|----------------------------|
| tm_sec | seconds after minute |
| tm_min | minutes after hour |
| tm_hour | hours since midnight |
| tm_mday | day of month |
| tm_mon | months since January |
| tm_year | years since 1900 |
| tm_wday | days since Sunday |
| tm_yday | days since January 1 |
| tm_isdst | Daylight Savings Time flag |

| | |
|---|-----------------------------|
| convert local time to calendar time | mktime(tp) |
| convert time in tp to string | asctime(tp) |
| convert calendar time in tp to local time | ctime(tp) |
| convert calendar time to GMT | gmtime(tp) |
| convert calendar time to local time | localtime(tp) |
| format date and time info | strftime(s,max,"format",tp) |

tp is a pointer to a structure of type tm

Mathematical Functions <math.h>

Arguments and returned values are double

| | |
|-------------------------------|----------------------------|
| trig functions | sin(x), cos(x), tan(x) |
| inverse trig functions | asin(x), acos(x), atan(x) |
| arctan(y/x) | atan2(y,x) |
| hyperbolic trig functions | sinh(x), cosh(x), tanh(x) |
| exponentials & logs | exp(x), log(x), log10(x) |
| exponentials & logs (2 power) | ldexp(x,n), frexp(x,&e) |
| division & remainder | fmod(x,ip), fmod(x,y) |
| powers | pow(x,y), sqrt(x) |
| rounding | ceil(x), floor(x), fabs(x) |

Integer Type Limits <limits.h>

The numbers given in parentheses are typical values for the constants on a 32-bit Unix system, followed by minimum required values (if significantly different).

| | | |
|-----------|--------------------|--------------------------|
| CHAR_BIT | bits in char | (8) |
| CHAR_MAX | max value of char | (SCHAR_MAX or UCHAR_MAX) |
| CHAR_MIN | min value of char | (SCHAR_MIN or 0) |
| SCHAR_MAX | max signed char | (+127) |
| SCHAR_MIN | min signed char | (-128) |
| SHRT_MAX | max value of short | (+32,767) |
| SHRT_MIN | min value of short | (-32,768) |
| INT_MAX | max value of int | (+2,147,483,647) |
| INT_MIN | min value of int | (-2,147,483,648) |
| LONG_MAX | max value of long | (+2,147,483,647) |
| LONG_MIN | min value of long | (-2,147,483,648) |
| UCHAR_MAX | max unsigned char | (255) |
| USHRT_MAX | max unsigned short | (65,535) |
| UINT_MAX | max unsigned int | (4,294,967,295) |
| ULONG_MAX | max unsigned long | (4,294,967,295) |

Float Type Limits <float.h>

The numbers given in parentheses are typical values for the constants on a 32-bit Unix system.

| | | |
|----------------|--------------------------------------|--------------|
| FLOAT_RADIX | radix of exponent rep | (2) |
| FLOAT_ROUNDS | floating point rounding mode | |
| FLOAT_DIG | decimal digits of precision | (6) |
| FLOAT_EPSILON | smallest x so $1.0f + x \neq 1.0f$ | (1.1E - 7) |
| FLOAT_MANT_DIG | number of digits in mantissa | |
| FLOAT_MAX | maximum float number | (3.4E38) |
| FLOAT_MAX_EXP | maximum exponent | |
| FLOAT_MIN | minimum float number | (1.2E - 38) |
| FLOAT_MIN_EXP | minimum exponent | |
| DBL_DIG | decimal digits of precision | (15) |
| DBL_EPSILON | smallest x so $1.0 + x \neq 1.0$ | (2.2E - 16) |
| DBL_MANT_DIG | number of digits in mantissa | |
| DBL_MAX | max double number | (1.8E308) |
| DBL_MAX_EXP | maximum exponent | |
| DBL_MIN | min double number | (2.2E - 308) |
| DBL_MIN_EXP | minimum exponent | |